

Novel Improved Fuzzy C-Mean Algorithm for MR-Image Segmentation

Brijesh Shah, Satish Shah, Y P Kosta

Abstract: Image segmentation is a very important part of image processing. This paper presents an image segmentation approach using improved fuzzy c-mean (FCM) algorithm. The improved fuzzy c-mean algorithm is formulated by modifying the distance measurement of the original fuzzy c-mean algorithm. The Euclidean distance in the fuzzy c-mean algorithm is replaced by the jaccard index and correlation distance, and thus the corresponding algorithm is derived and called as the improved fuzzy c-mean algorithm which is never earlier reported and that is shown to be more robust than original fuzzy c-mean algorithm. Experimental results are conducted on MR-images show that the proposed algorithms have better performance when noise and other artifacts are present than the original algorithms.

Index Terms: Improved fuzzy c-mean algorithm, jaccard index, Medical image processing, image segmentation

I. INTRODUCTION

Image segmentation is a challenging task in image analysis. A large variety of methods have been proposed in several years. The fuzzy c-mean technique that has been successfully applied to analyze, clustering designs in the field of astronomy, geology, medical image, target recognition, and image segmentation. An image can be acted in different feature spaces, and fuzzy c-mean method classifies by grouping the similar data points in the feature space into clusters.

Image segmentation plays important role in medical image. In the field of medical diagnosis an extensive diversity of imaging techniques is presently available, such as radiography, computed tomography (CT) and magnetic resonance imaging (MRI) [1], [2]. In the recent times, magnetic resonance image is the most effectively used for diagnostic image examination for brain diagnostic image examination for brain diseases such as tumor. Even through original fuzzy c-mean algorithm yields good results for segmenting noise free images, it fail to segment image corrupted by noise, outliers and other imaging artifacts.

Medical image segmentation is an essential step for most successive image analysis task. This paper presents an image segmentation approach using improved fuzzy c-mean algorithm [3],[4].

Manuscript received on July, 2012.

Brijesh Shah Electronics and Communication Department, Charotar University of Science and Technology, Changa, India

Satish Shah, Electrical Department, M.S. University, Vadodara, India,

Yogeshwar P Kosta, Electronics and Communication Department, Marwardi Group of Institutions, Rajkot, India.

II. CLUSTERING

The process of grouping a set of physical or abstract objects into classes of similar objects is called clustering. A cluster is a collection of data objects that are similar to one another within the same cluster and are dissimilar to the objects in other clusters. The two properties of clustering:

- Homogeneity inside clusters: the data, which belongs to one cluster, should be as similar as possible.
- Heterogeneity between the clusters: the data, which belongs to different clusters, should be as different as possible.

"Cluster analysis is the art of finding groups in data", or "clustering is the classification of similar objects into different groups, or more precisely, the partitioning of a data into subsets (clusters), so that the data in each subset (ideally) share some common trait-often proximity according to some defined distance measure"[5]. Clustering is an important task of research. Clustering is the unsupervised data mining technique, which partitions the input space into K regions depending on some similarity/dissimilarity metric where the value of K may or may not be known a priori. The main objective of any clustering technique is to produce a $K \times n$ partition matrix $U(X)$ of the given data set X, consisting of n patterns, $X = (x_1, x_2, \dots, x_n)$

III. IMPROVED FUZZY C-MEAN ALGORITHM

Fuzzy c-mean (FCM) algorithm, also known as fuzzy ISODATA, was introduced by Bezdek [6] as an extension to Dunn's algorithm [7]. The fuzzy c-mean based algorithms are the most commonly used fuzzy clustering algorithms in practice.

Let $X = \{x_1, x_2, \dots, x_N\}$, where $x_i \in \mathcal{R}^n$ present a given set of feature data. The objective of fuzzy c-mean algorithm is to minimize the fuzzy c-mean cost function formulated as

$$J(U, V) = \sum_{j=1}^C \sum_{i=1}^N (\mu_{ij})^m \|x_i - v_j\|^2 \quad (1)$$

$V = \{v_1, v_2, \dots, v_C\}$ are the cluster centers.

$U = (\mu_{ij})_{N \times C}$ is a fuzzy partition matrix, in which each member μ_{ij} indicates



the degree of membership between the data vector x_i and the cluster J. the values of matrix U should satisfy the following conditions.

$$\mu_{ij} \in [0,1], \forall i=1,K, N, \forall j=1,K, C \quad (2)$$

$$\sum_{j=1}^C \mu_{ij} = 1, \forall i=1,K, N \quad (3)$$

The exponent $m \in [1, \infty]$ is the weighting exponent, which determines the fuzziness of the clusters. The most commonly used distance norm is the Euclidean distance $d_{ij} = \|x_i - v_j\|$, although Babuska suggests that other distance norm could produce better results [8]. The Euclidean distance in improved fuzzy c-mean algorithm is replaced by the jaccard index, and also correlation distance. And this improved fuzzy c-mean algorithm is to be more robust than the original fuzzy c-mean algorithm.

Minimization of the cost function J(U,V) is a nonlinear optimization problem, which can be minimized with the following iterative algorithm.

Step 1: Initialize the membership matrix U with random values so that the conditions (2) and (3) are satisfied. Choose appropriate exponent m and the termination criteria.

Step 2: Calculate the cluster centers V according to the equation:

$$v_j = \frac{\sum_{i=1}^N (\mu_{ij})^m x_i}{\sum_{i=1}^N (\mu_{ij})^m}, \forall j=1,K, C \quad (4)$$

Step 3: Calculate the new distance norms:

$$d_{ij} = \|x_i - v_j\|, \forall i=1,K, N, \forall j=1,K, C \quad (5)$$

Step 4: Update the fuzzy partition matrix U:

If $d_{ij} > 0$ (indicating that $x_i \neq v_j$)

$$\mu_{ij} = \frac{1}{\sum_{k=1}^C \left(\frac{d_{ij}}{d_{jk}} \right)^{\frac{2}{m-1}}} \quad (6)$$

else

$$\mu_{ij} = 1$$

Step 5:

if the termination criteria have been met, stop
else go to *Step 2*

A suitable termination criterion could be to calculate the cost function of *equation 1* and to see whether it is below a certain tolerance value or if its improvement compared to the previous iteration is below a certain threshold [9]. Also the maximum number of iteration cycles can be used as a termination criterion.

In above original algorithm, step 3 distance is replaced by jaccard index in improved fuzzy c-mean algorithm, and also replaced by the correlation distance. Experiments are conducted on real images to examine the performance of the proposed improved fuzzy c-mean technique in segmenting the MR-images

IV. EXPERIMENTAL RESULTS

The proposed improved fuzzy c-mean algorithm is implemented using MATLAB and tested on real images to explore the segmentation accuracy of the proposed approach. The fuzzy c-mean algorithm at all times suffers from noise in the images. The proposed approach of image segmentation using improved fuzzy c-means algorithm eliminates the effect of noise greatly. This in turn increased the segmentation accuracy of the proposed image segmentation technique.

The algorithm is formulated by modifying the distance measurements of the original fuzzy c-mean algorithm to allow the labeling of a pixel to be influenced by other pixels and to control the noise effect during segmentation. The experimental results suggested that the proposed algorithm performed well than other fuzzy c-mean extension, segmentation algorithm. The proposed improved fuzzy c-mean algorithm execution time is tabulated in *Table 1*.

V. CONCLUSION

Fuzzy c-mean algorithm is one of a traditional clustering method and has been generally useful for medical image segmentation. Improved Fuzzy C- Mean algorithm is providing very encouraging results of segmentation of noisy image and moreover the sharper edges can be retrieved than the original fuzzy c-mean algorithm.

Table 1: Comparison of Original and Modified Fuzzy C-Mean Algorithm

Image No. in sequence of Experimental Results	Original FCM	Improved FCM with Jaccard Index	Improved FCM with Correlation	Improved FCM with Chebyshev
1	9.1377	8.0366	6.8842	6.2827
2	10.3211	7.1265	7.6488	10.3214
3	20.2791	14.6883	12.2347	21.3959
4	7.3932	7.1085	5.7542	8.1161




Fig.1. (a) to (d) original images, (e) to (h) is segmented images using fuzzy c-mean algorithm of original images (a) to (d) respectively, (i) to (l) is segmented images using improved fuzzy c-mean algorithm (using jaccard index) of original images (a) to (d) respectively, (m) to (p) is segmented images using improved fuzzy c-mean algorithm (using correlation) of original images (a) to (d) respectively

ACKNOWLEDGMENT

Brijesh Shah would like to thank CHARUSAT management for providing technological support to carry out research at the institute.

REFERENCES

1. D. L. Pham, C. Y. Xu, and J. L. Prince, "A survey of current methods in medical image segmentation," Annual Review on Biomedical Engineering, vol. 2, pp. 315–37, 2000 [Technical report version, JHU/ECE 99-01, Johns Hopkins University].
2. Liew AW-C, and H. Yan, "Current methods in the automatic tissue segmentation of 3D magnetic resonance brain images," Current Medical Imaging Reviews, vol. 2, no. 1, pp.91–103, 2006.
3. S. C. Chen, D. Q. Zhang, "Robust image segmentation using FCM with spatial constraints based on new kernel-induced distance measure", IEEE Transactions Systems Man Cybernet, vol. 34, no. 4, pp. 1907-1916, 2004
4. Ruspini, E., Numerical methods for fuzzy clustering. Information Science 2, 319-350, 1969
5. Amiya halder, Soumajit pramanik, Arindam kar, "Dynamic image segmentation using fuzzy c-mean based genetic algorithm", International journal of computer applications(0975-8887),volume 28-No.6,August 2011

6. [6] Bezdek, J.C., Pattern Recognition with Fu77y Objective Function Algorithms. Plenum, New York, 1981
7. J.C. Dunn, "A Fuzzy Relative of the ISODATA Process and its Use in Detecting Compact, Well Sepa-rated Clusters", Journal of Cybernetics, Vol. 3, No. 3, pp. 32-57, 1974
8. J.-S. Jang, C.-T. Sun and E. Mizutani, Neuro-Fuzzy and Soft Computing, Prentice-Hall, USA, 1997.

AUTHORS PROFILE

Brijesh Shah Author is with Electronics & Communication Department at CSPIT, CHARUSAT University, Changa with seven years of teaching experience. His primary areas of interest are communication and Image processing. He has attended QIP programs and presented/published eight papers in National/International conferences. He is members of professional bodies such as ISTE, IE(I) and IETE. He is working for his Ph D at CSPIT, Changa.

Prof. Satish Shah is a Head of Electrical Engineering Department at FTE, MS University of Baroda, (Guj) India with 30+ years of teaching and research experience. His primary areas of interest are Embedded Controller and soft computing. He has guided more than hundred projects at UG/PG level. He is a fellow of technical associations IETE, IE (I), ISA and served as the member, Hon Secretary and Treasurer of local executive committees for a span of six-eight years. He is the Chairman, IETE-Vadodara centre for the year 2010-2012. He is member of IEEE (NY) and a life member of ISTE. He has attended and organized more than 20 seminars, workshops, symposiums under QIP of UGC, AICTE, IETE, IE(I), World Bank Impact project etc. He has conducted Faculty training program on "Intelligent controllers" for the teachers of Engineering Colleges and Polytechnics in Gujarat under TEHSAT program of Gujarat Council of Science & Technology, Gandhinagar. His current areas of interest also include soft computing, Image and Signal processing and smart controller design using DSP. He has presented 20+ research papers in national & international conferences and published 10+ research papers in technical journals

Dr. Y. P. Kosta is an SCPM from Stanford University, California, USA. He did his M. Tech. in Microwave Electronics from Delhi University Delhi, and his Ph.D. in Electronics and Telecommunication. He is a member of IETE and IEEE. He worked as a scientist and designer at the Space Application Center – ISRO Ahmedabad, and as a Sr. Designer at Teledyne USA. Presently he is Director of Marwadi Group of Institutes. His research areas are RF, Wireless Satellite Systems and Information Communications. He has guided several M. Tech students. At present, six research scholars are currently pursuing their Ph.D under his guidance. He has published more than 100 research papers and articles in referred journals and international conference proceedings. Dr. Yogesh has delivered many expert talks and lectures in diverse field. He is member of various academic and research bodies in India and abroad.