

Improved Method for Segmentation of Real-time Image of Printed Documents

Manpreet Kaur, Chirag Sharma

Abstract— *The investment possibility of making a vast database of archive picture has left an enormous need for vigorous approaches to get to the data. Up to date engineering has made it conceivable to handle, process, transmit and store computerized pictures productively. Thusly, the measure of visual data is expanding at a quickening rate in numerous different provision zones. To completely misuse this picture recovery methods are needed. Archive picture recovery frameworks could be used in numerous associations which are utilizing record picture databases widely. The paper proposes a strategy to concentrate and recover the pictures from a printed archive.*

Keywords— *Document image, retrieval, segmentation, image extraction*

I. INTRODUCTION

As of late, there has been a fast improvement in the science and engineering of computerized data transforming and examination. The dialect of a picture is widespread. In old days, pictures were method for conveying data. Notwithstanding a-days, despite the fact that individuals from distinctive parts of the world talk in diverse dialects, a picture passes on very nearly the same all inclusive intending to all. With the fast improvement of cutting edge workstation innovations and with the expanding endeavor in getting data at ones fingertips, the vitality of correspondence of data utilizing pictures can't be overlooked.

Generally, transmission and capacity of data were performed by paper records. In the past few decades, records progressively begin on the workstation. Yet at the same time reports are still printed out for perusing, dispersal, and markup. The target of archive picture investigation is to distinguish the content and illustrations segments in pictures, and to concentrate the proposed data. Report picture recovery is an exceptionally fascinating territory of examination with the stretching security prerequisites for the advancement of the current social order. Regarding the developing size of information to be looked, exactness is no more the main basis for productivity. The fields of advanced picture transforming and machine vision are quickly developing. Nowadays the preparing of both the ash scale and shade pictures has turned into an imperative exploration and examination device in numerous regions of designing and science.

Analysis of report pictures for data extraction has gotten to be extremely unmistakable in later past. Wide mixed bag of data, which has been routinely put away on paper, is presently being changed over into electronic structure for better stockpiling and savvy preparing.

This needs transforming of reports utilizing picture examination calculations. Report picture investigation varies from the traditional picture transforming in its configuration and the data content. Report pictures are typically rich in formally introduced data.

The increment in the assorted qualities and accessibility of electronic data prompted extra transforming prerequisites, keeping in mind the end goal to recover pertinent and handy information. This prompts issue known as the availability issue. The vast majority of the answers for this kind of issues point towards a basic need: to concentrate pertinent data characteristics for a given substance space. The Computer Industry has seen an extensive development in engineering – get to, capacity and transforming fields. This joined with the way that there are a considerable measure of information to be handled that might be the route for investigating and mining information to infer conceivably helpful data. Especially in the region of Multimedia information, pictures have the most convenience and prominence. One of the issues is the viable recognizable proof of characteristics in the pictures and the other one is concentrating them. Be that as it may the fundamental troublesome assignments are to know the picture area and getting from the earlier information of what data is needed from the picture. Pictures assume an imperative part in fields like science, prescription, news coverage, publicizing, configuration, training and excitement. Hence picture examination with the help of workstation gets to be stronger in all exploration fields.

II. DOCUMENT IMAGE RETRIEVAL SYSTEM

With the advancement of office robotization and advanced picture handling, archive picture recovery systems are to a great extent created as of late. A record picture dissection framework begins from an info picture. Framework at first endeavours to offset the clamour impacts and does the vital geometric remedies.

A report is a composed or printed paper that bears the first, authority, or authoritative document of information and might be utilized to outfit definitive confirmation or data needed. There is a wide mixture of records that we experience in everyday life. This incorporates the records that are utilized to impart data as letters and daily papers, reports which chronicle data for later approval or utilization. Off late, the traditional meaning of record has got adjusted with the rise of electronic records. There exists a range of records in World Wide Web and electronic media. The tests connected with handling of such electronic reports are extensively not the same as that of data extraction from digitized or changed over electronic records.

Manuscript Received on April 2014.

Manpreet Kaur, pursuing M.TECH(IT), Lovely Professional University, Punjab, India.

Chirag Sharma, Assistant Professor in L.P.U. Lovely Professional University, Punjab, India.

Improved Method for Segmentation of Real-time Image of Printed Documents

The notoriety and essentialness of picture as a data source is clear in up to date social order. Computerized pictures are prepared and used in distinctive administrations, where the standard focuses on giving recovery purpose. They progressively involve the transmission limit of the Internet data parkway. In the quest for data, discovering the fancied element in the accessible information has turned into a developing issue. Particularly pictorial data is a sought and common hotspot for some provisions utilized by people, yet it is extremely troublesome to control, inquiry and oversee.




Fig. 1 showing the block diagram of document image retrieval

The different steps included in archive picture recovery are commotion evacuation, characteristic extraction, and matching calculation.

1. **Noise Evacuation:** Digital catch of pictures can present clamor from filtering gadgets and transmission media. Commotion evacuation is done to dispose of any clamor or printed content covering the concentrated pictures, for example, signature, logos, machine print and so forth. In the preprocessing step the printed content is uprooted from the picture tests. To uproot the printed content from pictures mixture of systems could be utilized. It is generally utilized strategy for concealing information.

2. **Feature Extraction:** Feature extraction includes separating the genuine data from the record pictures. So it decreases the capacity obliged and consequently the framework gets to be speedier and powerful in record picture recovery. When the characteristics are concentrated, they are put away in the database for future utilization. The degree to which a machine can remove significant data from the picture is the most influential key to the progression of keen picture deciphering frameworks. One of the greatest focal points of characteristic extraction is that, it essentially lessens the data to speak to a picture for comprehension the substance of that picture.

3. **Matching Algorithm:** The record picture recovery is performed utilizing a matching calculation to contrast the

inquiry picture and picture database.

III. IMAGE SEGMENTATION

Image segmentation is a principal process in machine vision. Picture division alludes to the deterioration of a scene into diverse segments. All the more exactly, picture division is the methodology of allotting a mark to each pixel in a picture such that pixels with the same name impart certain visual attributes as- power, color, change, composition, and so on. Be that as it may, in separating a picture into homogeneous districts, expected division routines have a tendency to partition one item district into a few areas. This sensation is brought as over-division.

Segmentation can be achieved in spatial domain or gray scale domain. Spatial segmentation is drawing a geometrical boundary between the objects present in the scene based on operations like edge detection, boundary identification etc. The second approach gray scale thresholding, divides the pixels into foreground and background based on a threshold gray value. The pixelson one side of the threshold value are the foreground pixels and the other side is identified as the background pixels. This process is called thresholding. Thresholding algorithms may be broadly classified into global, local or adaptive techniques depending on the way they work. Algorithms compute thresholds which optimize some objective functions.

Morphological operations: Some segregated pixels may remain in the divided picture and requiresto be evacuated from the last fragmented picture. Morphological operations have been used to eliminate the isolated pixels in segmented image.

IV. BOUNDARY EDGE DETECTION ALGORITHM

Hyung Koo et.al in [1] explains the boundary detection algorithm to construct boundary edge maps ϵ_H and ϵ_V . This method is based on gray scale images.

A. Edge Extraction based on Separability

Given a point, the presence of a horizontal line that passethe point can be detected by comparing the statistics of uppersupport and lower support. The edge is detected based on the separability of two regions, whichis defined as:

$$\mu = \frac{[(m_1 - m)^2 + (m_2 - m)^2] \div [2\sigma^2]}$$

where, m_1 and m_2 are the empirical means of pixels in upper and lower supports respectively, and m and σ are the empirical mean and standard deviation of pixels on the support.

B. Statistical Properties of the Edge Detection Method

The edge detection method has several interesting properties. For the explanation, let us denote $\{x_i\}_{i=1}^N$ and $\{y_i\}_{i=1}^N$ as samples from upper support and lower support respectively, and it is assumed that they come from two Gaussian distributions $N(m_1, \sigma_1^2)$ and $N(m_2, \sigma_2^2)$ respectively. Then the expected value of separability is:

$$E(\mu) = \frac{E\{(m_1 - m)^2 + (m_2 - m)^2\}}{2E\{\sigma^2\}}$$

V. PROPOSED SCHEME

In this paper, we propose a new method for the extraction of pictures in a camera-captured document image. That is, we don't fall back on 3d data, however utilize a solitary picture with some basic client communication.

A. Existing System

A ton of Research has been done on picture divisions, correction and recovery. In any case it neglected to portion little or rotated pictures. It couldn't even concentrate different pictures on a page. Just single picture could be concentrated from single record. The existing framework is designed to discover edges in the restricted extent of introduction and it has challenges in discovering such limits.

B. Proposed Method

The paper proposes new approach to moderate the restrictions of the existing framework and give better brings about correlation to the existing one.

The Sobel admin is utilized within picture preparing, especially inside edge identification calculations. In fact, it is a discrete separation admin, registering an estimate of the slope of the picture power capacity. At each one point in the picture, the consequence of the Sobel driver is either the comparing inclination vector or the standard of this vector. The Sobel driver is dependent upon convolving the picture with a little, detachable, and whole number esteemed channel in level and vertical course and is along these lines generally reasonable as far as calculations. Then again, the angle rough guess that it processes is moderately unrefined, specifically for high recurrence varieties in the picture.

The admin utilizes two 3×3 pieces which are convolved with the first picture to compute rough guesses of the subsidiaries - one for level progressions, and one for vertical. In the event that we characterize An as the source picture, and Gx and Gy are two pictures which at each one point hold the level and vertical subordinate estimates, the reckonings are as takes after:

$$G_x = \begin{bmatrix} -1 & 0 & +1 \\ -2 & 0 & +2 \\ -1 & 0 & +1 \end{bmatrix} * A$$

$$G_y = \begin{bmatrix} +1 & +2 & +1 \\ 0 & 0 & 0 \\ -1 & -2 & -1 \end{bmatrix} * A$$

where * here denotes the 2-dimensional convolution operation.

Since the Sobel kernels can be decomposed as the products of an averaging and a differentiation kernel, they compute the gradient with smoothing. For example, G_x can be written as

$$1 \begin{bmatrix} 0 & +1 \\ -2 & 0 & +2 \\ -1 & 0 & +1 \end{bmatrix} = \begin{bmatrix} 1 \\ 2 \\ 3 \end{bmatrix} \begin{bmatrix} -1 & 0 & 1 \end{bmatrix}$$

The x-coordinate is defined here as increasing in the "right"-direction, and the y-coordinate is defined as increasing in the "down"-direction. At each point in the image, the resulting gradient approximations can be combined to give the gradient magnitude, using:

$$G = (G_x^2 + G_y^2)^{1/2}$$

Using this information, we can also calculate the gradient's direction:

$$\Theta = \text{atan2}(G_y, G_x)$$

where, for example, Θ is 0 for a vertical edge which is darker on the right side.

The goals of the proposed technique are:

1. Perform Image Segmentation of real-time documents (click Document Images by own).
2. Extract more than 1 Image from a Single Document Page.
3. Segment Document and Image Separately
4. Extract tilted Images Also.
5. Segment Images which are lie between 2 pages and Normal Images also.

VI. METHODOLOGY

- (i) Input the document image:
The printed image is scanned and is read.
The Red ,Green ,Blue parts of an image are calculated as:

$$R_p = I(:, :, 1)$$

$$G_p = I(:, :, 2)$$

$$B_p = I(:, :, 3)$$

- (ii) Find size of image.
The size of an image is measured by the function – sizeof().

- (iii) Perform preprocessing steps.
To convert the RGB color component of image into HIS, the H component of each RGB pixel is calculated as:

$$H = \begin{cases} \theta & \text{if } B \leq G \\ 360 - \theta & \text{if } B > G \end{cases}$$

Where,

$$\theta = \cos^{-1} \left\{ \frac{\frac{1}{2}[(R-G) + (R-B)]}{[(R-G)^2 + (R-B)(G-B)]^{1/2}} \right\}$$

and the saturation component is given by:

$$S = [1 - \{3/(R+G+B)\}] * [\min(R, G, B)]$$

The intensity component is given by:

$$I = 1/3(R+G+B)$$

- (iv) Find the edges of the image.
The edges of the image are calculated by edge detection algorithms.
- (v) Perform morphological operations.
The morphological operations are done by the function- bwmorph. It supports the generation of efficient, production quality.
- (vi) Select target area.
- (vii) Segment single image from the document
- (viii) Segment multiple images from the document if needed.
- (ix) Extract tilted images.

For extraction of tilted images, an operation is used which performs scanning of the image from left to

Improved Method for Segmentation of Real-time Image of Printed Documents

right and then finding two points (x1, y1) and (x2, y2) from top. The slope M and rotation angle theta is calculated as:

$$M = (y2 - y1) / (x2 - x1)$$

$$\theta = \tan^{-1}(M)$$

- (x) Remove single/ multiple images from text.

VII. EXPERIMENTAL RESULTS

The proposed methodology has been mimicked on MATLAB and the effects have been displayed. The pictures from printed reports have been concentrated.




Fig. 1 Images in printed document



Fig. 2 Extracted Image



Fig. 3 Extracted image

VIII. CONCLUSION

The plan of this paper is to propose another system for the division and amendment of pictures in archive pictures to relieve the impediments of the existing method. Today, information innovation has demonstrated that there is a need to store, inquiry, look and recover vast measure of electronic data effectively and correctly. So report picture recovery is exceptionally testing field of examination with the constant development of investment and expanding security necessities for the improvement of the cutting edge social order.

ACKNOWLEDGMENT

The paper has been written with the kind assistance, guidance and active support of my department who have helped me in this work. I would like to thank all the individuals whose encouragement and support has made the completion of this work possible.

REFERENCES

1. Hyung Il Koo, Segmentation and Rectification of Pictures in the Camera-Captured Images of Printed Documents, IEEE
2. AndrásBarta and IstvánVajk, Document Image Analysis by Probabilistic Network and Circuit Diagram Extraction, Informatica29 (2005) 291–301
3. MohammadrezaKeyvanpour and Reza Tavoli, Document Image Retrieval: Algorithms, Analysis and Promising Directions, International Journal of Software Engineering and Its Applications, Vol.7, No.1, January, 2013
4. M. N. S. S. K. Pavan Kumar and C. V. Jawahar, Information Processing from Document Images
5. KonstantinosZagoris, KavallieratouErgina, Nikos Papamarkos, A Document Image Retrieval System
6. Manesh B. Kokare, M.S.Shirdhonkar, Document Image Retrieval: An Overview, 2010 International Journal of Computer Applications (0975– 8887) Volume 1–No. 7
7. Jilin Li, Zhi-Gang Fan, Yadong Wu and Ning Le, Document Image Retrieval with Local Feature Sequences, 2009 10th International Conference on Document Analysis and Recognition
8. REZA TAVOLI, Classification and Evaluation of Document Image Retrieval System, WSEAS TRANSACTIONS ON COMPUTERS, Issue 10, Volume 11, October 2012, E-ISSN:2224-2872
9. Mrs.Waykule J.M, Ms. Patil V.A, Region Filling and Object Removal by Exemplar-Based Image In painting, International Journal of Scientific & Engineering Research Volume 3, Issue 1, January-2012 ISSN N 2229-5518
10. Muhammad Waseem Khan, A Survey: Image Segmentation Techniques, International Journal of Future Computer and Communication, Vol. 3, No. 2, April 2014
11. Rajwantkaur, Sukhpreetkaur (2013), "Object Extraction and Boundary Tracing Algorithms for Digital Image Processing: Comparative Analysis: A Review", International Journal of Advanced Research in Computer Science and Software Engineering 3(5), May - 2013, pp. 263-268, ISSN: 2277 128X
12. Manjusha Singh, AbhishekMisal (2013), "A Survey Paper on Various Visual Image Segmentation Techniques", International Journal of Computer Science and Management Research Vol 2 Issue 1 January 2013 ISSN 2278-733X
13. Toru Tamakia, Tsuyoshi Yamamurab and Noboru Ohnishi, "Image segmentation and object extraction based on geometric features of regions", IS&T/SPIE Conf. on VCIP'99, SPIE Vol.3653, Part Two, pp.937
14. Atsushi Yamashita, Toru Kaneko, and Hajime Asama, Precise Extraction of Visual Information from Images by Image Processing Techniques, SUPEN2013

AUTHORS PROFILE



Manpreet Kaur She is a student and pursuing M.TECH(IT) Degree from Lovely professional University. Her Research Interests include Image Processing, Neural Networks and Data Warehouse etc.



Chirag Sharma He is an Assistant Professor in L.P.U. He received his M.TECH Degree from Lovely professional University. In his Research areas he has published 30 international papers and one book.